

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2260	((347/104) or (271/273,274)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 10:23
L2	81	1 and @pd>"20050822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:26
L3	8	2 and ground\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:26
S1	0	print\$3 and (conductive with synthetic with resin with pinch with roll\$3)	USPAT	OR	OFF	2004/09/30 10:49
S2	0	print\$3 and (conductive with (resin polymer) with pinch with roll\$3)	USPAT	OR	OFF	2004/09/30 10:49
S3	0	347/104.ccls. and (conductive with (resin polymer) with roll\$3)	USPAT	OR	OFF	2004/09/30 10:50
S4	5	347/104.ccls. and ((metal aluminum steel) with (resin polymer) with roll\$3)	USPAT	OR	OFF	2004/09/30 10:50
S5	1	("4998143").PN.	USPAT; USOCR	OR	OFF	2004/09/30 11:38
S6	9	347/104.ccls. and (conductive with resin)	USPAT	OR	OFF	2004/09/30 11:27
S7	70886	"347"/\$3.ccls. "400"/\$3.ccls. "271"/\$3.ccls.	USPAT	OR	OFF	2004/09/30 11:26
S8	499	S7 and (conductive with resin)	USPAT	OR	OFF	2004/09/30 11:27
S9	26	S7 and (conductive with resin with roller)	USPAT	OR	OFF	2004/09/30 11:27
S10	1	("5527123").PN.	USPAT; USOCR	OR	OFF	2004/09/30 11:40
S11	45	"347"/\$3.ccls. and (roller with ground\$3)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 11:43
S12	386	("347"/\$3.ccls. "400"/\$3.ccls. "271"/\$3.ccls.) and ((roller) with ground\$3)	USPAT	OR	ON	2004/09/30 11:44

S13	19	("347"/\$3.ccls. "400"/\$3.ccls. "271"/\$3.ccls.) and ((driven with roller) with ground\$3)	USPAT	OR	ON	2004/09/30 11:44
S14	1	("5805176").PN.	USPAT; USOCR	OR	OFF	2004/09/30 12:55
S15	22	"347"/\$3.ccls. and (frame with metal with (strength stronger rigid rigidity))	USPAT	OR	OFF	2004/09/30 12:58
S16	4	"347"/\$3.ccls. and (frame with metal with (advantag\$5))	USPAT	OR	OFF	2004/09/30 12:59
S17	614	(347/104).CCLS.	USPAT; USOCR	OR	OFF	2004/09/30 10:47
S18	106	((347/104).CCLS.) and (pinch same spring)	USPAT	OR	OFF	2004/09/29 13:50
S19	6	((((347/104).CCLS.) and (pinch same spring))) and (static with electricity)	USPAT	OR	OFF	2004/09/29 13:02
S20	1	"6609791"	DERWENT	OR	OFF	2004/09/29 13:11
S21	1	2000-587497.NRAN.	DERWENT	OR	OFF	2004/09/29 13:25
S22	1	("6609791").PN.	USPAT; USOCR	OR	OFF	2004/09/29 13:11
S23	1	"20040017463"	US-PGPUB	OR	OFF	2004/09/30 12:53
S24	13	((347/104).CCLS.) and (pinch same spring same (metal aluminum steel))	USPAT	OR	OFF	2004/09/29 17:41
S25	4	("347"/\$3.ccls. "400"/\$3.ccls. "271"/\$3.ccls.) and ((pinch adj roll\$2) with ground\$3)	USPAT	OR	OFF	2004/09/30 11:43
S27	144	"271"/\$3.ccls. and (pinch-roller (pinch adj (roller conveyor)) with spring)	USPAT	OR	OFF	2005/08/22 12:56
S28	357	(pinch-roller (pinch adj (roller conveyor)) with (torsion adj spring) torsion-spring)	USPAT	OR	OFF	2005/08/22 11:59
S29	240	pinch-roller (pinch adj (roller conveyor)) with ((torsion adj spring) torsion-spring)	USPAT	OR	OFF	2005/08/22 12:00
S30	93	S29 and ((torsion adj spring) torsion-spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:47
S31	1059	(271/273,274).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 12:47

S32	600	S31 and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:47
S33	271	S31 and ((roller conveyor pinch-roller feed-roller) with spring)	USPAT	OR	OFF	2005/08/22 12:48
S34	3	S31 and(((roller conveyor pinch-roller feed-roller) with spring) same (ground))	USPAT	OR	OFF	2005/08/22 12:48
S35	12	"399"/\$3.ccls. and (spring with ground)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:54
S36	365	"399"/\$3.ccls. and (conductive with resin)	JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:55
S37	2	"399"/\$3.ccls. and (conductive with resin with ground)	JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:55
S38	1137	(347/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 13:45